IPO11 Polyclonal Antibody

catalog number: E-AB-52788





Note: Centrifuge before opening to ensure complete recovery of vial contents.

| Description | | |
|--------------|--|--|
| Reactivity | Human; Mouse | |
| Immunogen | Fusion protein of human IPO11 | |
| Host | Rabbit | |
| Is otype | IgG | |
| Purification | Antigen affinity purification | |
| Conjugation | Unconjugated | |
| buffer | Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol. | |

| Applications | Recommended Dilution |
|--------------|----------------------|
| WB | 1:500-1:2000 |
| IHC | 1:40-1:200 |

Data





Western blot analysis of Human fetal brain tissue K562 cell Hela and A172 cell lysates using IPO11 Polyclonal Antibody

at dilution of 1:450

Observed-MV: Refer to figures

Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using IPO11 Polyclonal Antibody at dilution of 1:65(×200)

| Calculated-MV:113 kDa | |
|-----------------------|--|
| Preparation & Storage | |
| Storage | Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles. |
| Shipping | The product is shipped with ice pack, upon receipt, store it immediately at the temperature recommended. |

Background

Importins, including IPO11, are a members of the karyopherin/importin-beta family of transport receptors (see KPNB1; 602738) that mediate nucleocytoplasmic transport of protein and RNA cargoes (Plafker and Macara, 2000 [PubMed 11032817]).

For Research Use Only