



A Reliable Research Partner in Life Science and Medicine

# **Recombinant REG1B Monoclonal Antibody**

catalog number: AN300405P

Note: Centrifuge before opening to ensure complete recovery of vial contents.

### **Description**

Reactivity Human

Immunogen Recombinant Human REG1B protein


Host Rabbit
Isotype IgG
Clone B331
Purification Protein A

Buffer 0.2 µm filtered solution in PBS

Applications Recommended Dilution

**IHC-P** 1:100-1:500

#### Data



Immunohistochemistry of paraffin-embedded human pancreas using REG1B Monoclonal Antibody at dilution of 1:200.

## **Preparation & Storage**

Storage This antibody can be stored at 2°C-8°C for one month without detectable loss of

activity. Antibody products are stable for twelve months from date of receipt when stored at -20°C to -80°C. Preservative-Free. Avoid repeated freeze-thaw cycles.

Shipping Ice bag

## **Background**

Regenerating gene (Reg), first isolated from a regenerating islet cDNA library, encodes a secretory protein with a growth stimulating effect on pancreatic beta cells, and could be associated with fibrocalculous pancreatopathy. Reg and Reg-related genes which were expressed in various organs have been revealed to constitute a multigene family, the Reg family consisting of four subtypes (types I, II, III, IV) and are involved in cancers and neurodegenerative diseases. Regenerating islet-derived 1 beta (REG1B), also known as Lithostathine-1-beta and Pancreatic stone protein 2 (PSPS2), is a types I Reg protein and contains one typical C-type lectin domain. REG1B is a 166-amino acid protein that has 22 amino acid substitutions in comparison with the previously isolated human REG1A, and it is was expressed only in pancreas. REG1B Is normally found in the exocrine pancreas, whereas in other tissues it appears either only under pathological conditions, such as Alzheimer's disease (brain), cancer (colon), or during regeneration such as neuronal sprouting in brain and pancreas regeneration. REG1B might act as an inhibitor of spontaneous calcium carbonate precipitation. The REG1A and REG1B gene and proteins could play different roles in the pancreas.

For Research Use Only