



A Reliable Research Partner in Life Science and Medicine

PDHA1 Polyclonal Antibody

catalog number: E-AB-19017

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Reactivity Human; Mouse; Rat

Immunogen Fusion protein of human PDHA1

Host Rabbit
Isotype IgG


Purification Antigen affinity purification

Buffer Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.

Applications Recommended Dilution

IHC 1:50-1:300

Data





Immunohistochemistry of paraffin-embedded Human cervical Immunohistochemistry of paraffin-embedded Human tonsil cancer tissue using PDHA1 Polyclonal Antibody at dilution tissue using PDHA1 Polyclonal Antibody at dilution of 1:50(×200) 1:50(×200)

Preparation & Storage

Storage Storage Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.

Shipping The product is shipped with ice pack, upon receipt, store it immediately at the

temperature recommended.

Background

PDHA1(Pyruvate dehydrogenase E1 component subunit alpha, somatic form, mitochondrial) is also named as PHE1A. It is one of the 3 enzymes of the pyruvate dehydrogenase complex which is a nuclear-encoded mitochondrial matrix multienzyme complex that provides the primary link between glycolysis and the tricarboxylic acid (TCA) cycle by catalyzing the irreversible conversion of pyruvate into acetyl-CoA. It has 4 isoforms produced by alternative splicing. Defects in PDHA1 are a cause of pyruvate dehydrogenase E1-alpha deficiency (PDHAD) and X-linked Leigh syndrome (X-LS).

Fax: 1-832-243-6017