

## Recombinant Human MGAT2/GlcNAc-TII Protein (His Tag)

Catalog Number: PKSH032737

**Note:** Centrifuge before opening to ensure complete recovery of vial contents.


### Description

<b>Species</b>	Human
<b>Source</b>	HEK293 Cells-derived Human MGAT2;GlcNAc-TII protein Arg30-Gln447, with an C-terminal His
<b>Mol_Mass</b>	49.3 kDa
<b>Accession</b>	Q10469
<b>Bio-activity</b>	Not validated for activity

### Properties

<b>Purity</b>	> 95 % as determined by reducing SDS-PAGE.
<b>Endotoxin</b>	< 1.0 EU per µg of the protein as determined by the LAL method.
<b>Storage</b>	Store at < -20°C, stable for 6 months. Please minimize freeze-thaw cycles.
<b>Shipping</b>	This product is provided as liquid. It is shipped at frozen temperature with blue ice/gel packs. Upon receipt, store it immediately at < - 20°C.
<b>Formulation</b>	Supplied as a 0.2 µm filtered solution of 20mM Tris-HCl, 150mM NaCl, pH 8.0.
<b>Reconstitution</b>	Not Applicable

### Data



> 95 % as determined by reducing SDS-PAGE.

### Background

Mannoside Acetylglucosaminyltransferase 2 (MGAT2) is a single-pass type II membrane protein that contains the typical glycosyltransferase domains: a short N-terminal cytoplasmic domain, a hydrophobic non-cleavable signal-anchor domain and a C-terminal catalytic domain. MGAT2 catalyzes an essential step in the conversion of oligo-mannose to complex N-glycans. Defects in MGAT2 are the cause of congenital disorder of glycosylation type 2A.