A Reliable Research Partner in Life Science and Medicine

## Recombinant Mouse IL-34 protein(His Tag)

Catalog Number: PKSM041479

Note: Centrifuge before opening to ensure complete recovery of vial contents.

		crip				
	00	O	РΤ	n	tπ	Λn
JU.	$\mathbf{c}$	U.S.		w	ш	

**Species** Mouse

**Source** E.coli-derived Mouse IL-34 protein As n 21-Pro 235, with an C-terminal His

Calculated MW 25.5 kDa
Observed MW 25 kDa
Accession Q8R1R4

**Bio-activity** Measure by its ability to induce proliferation in NFS-60 cells. The  $ED_{50}$  for this effect

is <30 ng/mL. The specific activity of recombinant mouse IL-34 is  $>3.3 \times 10^4$  IU/mg.

## **Properties**

**Purity** > 98 % as determined by reducing SDS-PAGE.

**Endotoxin**  $< 0.1 \text{ EU per } \mu \text{g of the protein as determined by the LAL method.}$ 

**Storage** Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80

°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of

reconstituted samples are stable at < -20°C for 3 months.

**Shipping** This product is provided as lyophilized powder which is shipped with ice packs.

**Formulation** Lyophilized from sterile PBS, pH 7.4.


Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants

before lyophilization.

Please refer to the specific buffer information in the printed manual.

**Reconstitution** Please refer to the printed manual for detailed information.

## Data



> 98 % as determined by reducing SDS-PAGE.

## Background

Interleukin-34 (IL-34) is a protein that promotes the proliferation, survival and differentiation of monocytes and macrophages. It also promotes the release of proinflammatory chemokines, and thereby plays an important role in innate immunity and in inflammatory processes. IL-34 plays an important role in the regulation of osteoclast proliferation and differentiation, and in the regulation of bone resorption. Signaling via CSF1R and its downstream effectors stimulates phosphorylation of MAPK1/ERK2 AND MAPK3/ERK1.