Elabscience®

Mouse KIM-1 Antibody Pair Set

Catalog No.E-KAB-0086ApplicationsELISASynonymsHAVCR1, HAVCR, HAVCR-1, KIM-1, KIM1, TIM, TIM-1, TIM1, TIMD-1, TIMD1

Kit components & Storage

Title	Specifications	Storage
Mouse KIM-1 Capture Antibody	1 vial, 100 µ g	Store at -20° C for one year.
		Avoid freeze / thaw cycles.
Mouse KIM-1 Detection Antibody	1 vial, 50 μL	Store at -20° C for one year.
(Biotin)		Avoid freeze / thaw cycles.

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Product Information

Items		Characteristic (E-KAB-0086)	
		Mouse KIM-1 Capture Antibody	Mouse KIM-1 Detection Antibody (Biotin)
Immunogen	Immunogen	Recombinant Mouse KIM-1 protein	Recombinant Mouse KIM-1 protein
Information	Swissprot	Q5QNS5	
Product details	Reactivity	Mouse	Mouse
	Host	Goat	Goat
	Conjugation	Unconjugated	Biotin
	Concentration	0.5mg/mL	/
	Buffer	PBS with 0.04% Proclin 300, 50%	PBS with 0.04% Proclin 300, 1%
		glycerol, pH 7.4	protective protein, 50% glycerol, pH
			7.4
	Purify	Antigen Affinity	Antigen Affinity
	Specificity	Detects Mouse KIM-1 in ELISAs.	

For Research Use Only

Elabscience®

Applications

Mouse KIM-1 Sandwich ELISA Assay:

	Recommended	Reagent	Images
	Concentration/Dilution		
ELISA	0.5-4µg/mL	Mouse KIM-1 Capture Antibody	
Capture			
ELISA	1:1000-1:10000	Mouse KIM-1 Detection Antibody	Optical Density
Detection		(Biotin)	² 0.1 0.01 0.01 0.1 0.1 1 1 0 100 Mouse KIM-1 concentration(ng/mL)

Note: This standard curve is only for demonstration purposes. A standard curve should be generated for each assay!

Background

KIM-1, also known as Kidney Injury Molecule 1 and Hepatitis A virus cellular receptor 1 homolog (HAVcr-1), or T-cell immunoglobulin and mucin domain 1 (TIM-1) is a 283 amino acid protein that contains an N-terminal immunoglobulin-like domain and is encoded by the HAVCR1 gene. KIM-1 is a single-pass type 1 membrane protein has been identified as a receptor for hepatitis A virus. The TIM gene family participates in host immune response. Urinary KIM-1 levels are elevated in nephropathy and is thought to be a biomarker for renal damage.

For Research Use Only