Zebrafish NF-kB p65 Polyclonal Antibody

catalog number: E-AB-40558



Note: Centrifuge before opening to ensure complete recovery of vial contents.

| Description | | |
|---|--|--|
| Reactivity | Zebrafish | |
| Immunogen | Recombinant Zebrafish NF-KB protein expressed by E.coli | |
| Host | Rabbit | |
| Isotype | IgG | |
| Purification | Antigen Affinity Purification | |
| Conjugation | Unconjugated | |
| buffer | PBS with 0.05% proclin 300, 1% protective protein and 50% glycerol,pH7.4 | |
| Applications | Recommended Dilution | |
| WB | 1:1000-2000 | |
| Data | | |
| | | |
| | 130 kD- 90 kD- | |
| 70 kD- | | |
| 55 kD- | | |
| 40 kD- | | |
| Western blot of Zebrafish whole lysates with anti-NF-KB | | |
| rabbit polyclonal antibody at dilution of 1:1000. | | |
| Observed-MV:48 kDa | | |
| Calculated-MV:48 kDa | | |
| Prenaration & Storage | | |

| reparation & Storage | |
|----------------------|--|
| Storage | Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles. |
| Shipping | The product is shipped with ice pack,upon receipt, store it immediately at the |
| | temperature recommended. |
| | |

Background

The Rel/NF-kappaB Signal Transduction Pathway Rel or NF-kappaB (NF-kB) proteins comprise a family of structurallyrelated eukaryotic transcription factors that are involved in the control of a large number of normal cellular and organismal process

For Research Use Only