



A Reliable Research Partner in Life Science and Medicine

Biotin Anti-Human CD15/SSEA-1 Antibody[HI98]

Catalog Number: E-AB-F1079B

Note: Centrifuge before opening to ensure complete recovery of vial contents.

_		400	
Desc		7 77	٦n
レヒコレ	ш		711

ReactivityHumanHostMouseIsotypeMouse IgM, κ

Clone No. HI98

Isotype Control Biotin Mouse IgM, κ Isotype Control[MM-30] [Product E-AB-F09783B]

Conjugation Biotin

Storage Buffer Phosphate buffered solution, pH 7.2, containing 0.09% sodium azide and 1% BSA.

Applications Recommended usage

FCM Each lot of this antibody is quality control tested by flow cytometric analysis. For flow

cytometric staining, the suggested use of this reagent is \leq 1.0 μ g per 10⁶ cells in 100 μ L volume or 100 μ L of whole blood. It is recommended that the reagent be titrated for

optimal performance for each application.

Preparation & Storage

Storage Keep as concentrated solution.

This product can be stored at 2-8°C for 12 months. Do not freeze.

Shipping Ice bag

Antigen Information

Alternate Names 3-FAL;3-FL;LNFP III;Lewis X;LexSSEA-1;X-hapten;SSEA-1

 Uniprot ID
 P22083

 Gene ID
 2526

Background CD15 is 3-fucosyl-N-acetyllactosamine (3-FAL), also known as Lewis X, 3-FAL, X-

Web: www.elabscience.cn

hapten, and SSEA-1. CD15 is expressed on granulocytes and monocytes. It has also been shown to be expressed on Langerhans cells and some malignant cells. CD15

has been implicated in adhesion, as well as chemotaxis, phagocytosis, and

bactericidal activity.