FDFT1 Polyclonal Antibody

catalog number: E-AB-52940



Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Reactivity Human; Mouse; Rat

Immunogen Fusion protein of human FDFT1

Host Rabbit Isotype IgG

Purification Antigen affinity purification


Conjugation Unconjugated

buffer Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.

Applications	Recommended D	ilution
rippiications	i i i i i i i i i i i i i i i i i i i	HUULUL


WB 1:1000-1:5000 **IHC** 1:40-1:200

Data




Western blot analysis of HT29 and HepG2 cell Human fetal brain tissue lysates using FDFT1 Polyclonal Antibody at

dilution of 1:1000



Immunohistochemistry of paraffin-embedded Human tonsil tissue using FDFT1 Polyclonal Antibody at dilution of $1:75(\times 200)$

Observed-MV: Refer to figures



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using FDFT1 Polyclonal Antibody at dilution of 1:75(×200)

Preparation & Storage

Storage Storage Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.

Shipping The product is shipped with ice pack, upon receipt, store it immediately at the

temperature recommended.

Background

This gene encodes a membrane-associated enzyme located at a branch point in the mevalonate pathway. The encoded protein is the first specific enzyme in cholesterol biosynthesis, catalyzing the dimerization of two molecules of farnesyl diphosphate in a two-step reaction to form squalene.

For Research Use Only