NCR1 Polyclonal Antibody

catalog number: E-AB-16312



Note: Centrifuge before opening to ensure complete recovery of vial contents.

			•
 O C	OWI		ınn
		UU	ion

Reactivity Human

Immunogen Synthetic peptide of human NCR1

Host Rabbit
Isotype IgG


PurificationAffinity purificationConjugationUnconjugated

buffer Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.

Applications Recommended Dilution

WB 1:200-1:1000

Data



Western Blot analysis of Mouse kidney tissue using NCR1

Polyclonal Antibody at dilution of 1:450

Calculated-MV:34 kDa

Preparation & Storage

Storage Storage Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.

Shipping The product is shipped with ice pack, upon receipt, store it immediately at the

temperature recommended.

Background

Natural cytotoxicity triggering receptor 1 is a protein that in humans is encoded by the NCR1 gene.NCR1 has also been designated as CD335 (cluster of differentiation 335). Cytotoxicity-activating receptor that may contribute to the increased efficiency of activated natural killer (NK) cells to mediate tumor cell lysis. Interacts with CD247 and FCER1G. Selectively expressed by both resting and activated NK cells.

For Research Use Only