

Dnase I Polyclonal Antibody

catalog number: E-AB-40592

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description


Reactivity	Human
Immunogen	Recombinant Human Dnase I protein expressed by E.coli.
Host	Rabbit
Isotype	IgG
Purification	Antigen Affinity Purification
Conjugation	Unconjugated
Buffer	PBS with 0.05% proclin 300, 1% protective protein and 50% glycerol,pH7.4

Applications

Recommended Dilution

WB	1:1000-2000
-----------	-------------

Data



Western blotting with anti-Dnase I polyclonal antibody at dilution of 1:1000. Lane 1: MCF-7 cell lysate, Lane 2: HeLa cell lysate.

Observed-MV:31 kDa

Calculated-MV:31 kDa

Preparation & Storage

Storage	Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.
Shipping	The product is shipped with ice pack,upon receipt,store it immediately at the temperature recommended.

Background

Deoxyribonuclease I (DNase I) is an endonuclease which is secreted to cleave DNA in the extracellular space down to an average of tetranucleotides with 5' monophosphate and 3' hydroxyl DNA ends. Both single-stranded DNA and double-stranded DNA are degraded by Dnase I. This nuclease appears to account for the major nucleolytic activity on DNA in serum and is responsible for the degradation of the majority of circulating DNA derived from apoptotic and necrotic cell death and from neutrophil extracellular traps. In addition to its role in the serum, it has been proposed as one of the deoxyribonucleases responsible for DNA fragmentation in the process of apoptosis.

For Research Use Only