A Reliable Research Partner in Life Science and Medicine

# Purified Anti-Mouse CD25 Antibody[7D4]

catalog number: AN006200P

Note: Centrifuge before opening to ensure complete recovery of vial contents.

#### **Description**

**Reactivity** Mouse

Immunogen Recombinant Mouse CD25 protein

**Host** Rat

**Isotype** Rat LEW, also known as Lewis IgM, κ

Clone 7D4

**Purification** >98%, Protein A/G purified


**Buffer** Phosphate-buffered solution, pH 7.2, containing 0.05% non-protein stabilizer. Dialyze

to completely remove the stabilizer prior to labeling.

# Applications Recommended Dilution

FCM  $2 \mu g/mL(1 \times 10^5 - 5 \times 10^5 \text{ cells})$ 

#### Data



C57/BL6 Mouse splenocytes were stained with 0.2 μg Purified Anti-Mouse CD25 Antibody[7D4] (Right) and 0.2 μg Rat IgM, κ Isotype Control (Left), followed by Alexa Fluor® 647-conjugated Goat Anti-Rat IgM Secondary Antibody, then anti-Mouse CD4 FITC-conjugated Monoclonal Antibody.

# **Preparation & Storage**

Storage Storage Store at 4°C valid for 12 months or -20°C valid for long term storage, avoid freeze /

thaw cycles.

Shipping Ice bag

## Background

Receptor for interleukin-2. The receptor is involved in the regulation of immune tolerance by controlling regulatory T cells (TREGs) activity. TREGs suppress the activation and expansion of autoreactive T-cells.

### For Research Use Only

Fax: 1-832-243-6017