# PerCP/Cyanine 5.5 Anti-Human/Mouse VLA-4 (CD49d) Antibody[PS/2]

**Catalog Number:** AN01361J

**Note:** *Centrifuge before opening to ensure complete recovery of vial contents.*

## Description

| | |
|---|---|
| **Reactivity** | Human;Mouse |
| **Host** | Rat |
| **Isotype** | Rat IgG2b, κ |
| **Clone No.** | PS/2 |
| **Isotype Control** | PerCP/Cyanine5.5 Rat IgG2b, κ Isotype Control[LTF-2] [Product E-AB-F09842J] |
| **Conjugation** | PerCP/Cyanine 5.5 |
| **Conjugation Information** | PerCP/Cyanine 5.5 is designed to be excited by the blue laser (488 nm) and detected using an optical filter centered near 675 nm (e.g., a 690/50 nm bandpass filter). |
| **Storage Buffer** | Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer. |

## Applications — Recommended usage

| | |
|---|---|
| **FCM** | Each lot of this antibody is quality control tested by flow cytometric analysis. **The amount of the reagent is suggested to be used 5 μL of antibody per test (million cells in 100 μL staining volume or per 100 μL of whole blood).** Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use. |

## Data




Staining of normal human peripheral blood cells with PerCP/Cyanine 5.5 Anti-Mouse/Human VLA-4 (CD49d) Antibody[PS/2] (filled gray histogram) or PerCP/Cyanine 5.5 Rat IgG2b, κ Isotype Control (empty black histogram). Cells in the lymphocyte gate were used for analysis.

## Preparation & Storage

| | |
|---|---|
| **Storage** | Keep as concentrated solution.<br>This product can be stored at 2-8°C for 24 months. Please protected from prolonged exposure to light and do not freeze. |
| **Shipping** | Ice bag |

## Antigen Information

| | |
|---|---|
| **Alternate Names** | ITGA4;Integrin alpha 4;Itga4;LPAM alpha;VLA-4 alpha;α4 Integrin |
| **Uniprot ID** | P13612;Q00651 |
| **Gene ID** | 3676 |


Toll-free: 1-888-852-8623
Tel: 1-832-243-6086
Fax: 1-832-243-6017
Web:www.elabscience.com
Email:techsupport@elabscience.com

**Background**

The PS/2 monoclonal antibody reacts with human and mouse VLA-4 α chain also known as CD49d and integrin alpha 4. VLA-4 is a 150 kDa glycoprotein belonging to the integrin family that is expressed by many cell types including T and B lymphocytes, monocytes, eosinophils, basophils, mast cells, thymocytes, NK cells, and dendritic cells. Integrin α4 associates with integrin β7 to form integrin α4β7 also known as LPA M-1 as well as integrin β1 (CD29) to form integrin α4β1 also known as VLA-4. Integrin α 4 plays roles in adhesion and T cell co-stimulation. Integrin α4 ligands include VCAM-1, MAdCAM-1, and fibronectin. The PS/2 antibody is useful for in vivo and in vitro VLA-4 neutralization.


Toll-free: 1-888-852-8623
Tel: 1-832-243-6086
Fax: 1-832-243-6017
Web:www.elabscience.com
Email:techsupport@elabscience.com