CA11 Polyclonal Antibody

catalog number: E-AB-18586



Note: Centrifuge before opening to ensure complete recovery of vial contents.

Note: Centrifuge before opening to ensure complete recovery of vial contents.	
Description	
Reactivity	Human;Mouse
Immunogen	Fusion protein of human CA11
Host	Rabbit
Is otype	IgG
Purification	Antigen affinity purification
Conjugation	Unconjugated
buffer	Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.
Applications	Recommended Dilution
IHC	1:40-1:200
Data	
cancer tissue using CA1	of paraffin-embedded Human liver 1 Polyclonal Antibody at dilution of 1:45(×200)
Preparation & Storage	
Storage	Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.
Shipping	The product is shipped with ice pack, upon receipt, store it immediately at the
	temperature recommended.
Background	
Ş	CAs) are a large family of zinc metalloenzymes that catalyze the reversible hydration of carbon
dioxide. They participate in a variety of biological processes, including respiration, calcification, acid-base balance, bone	

dioxide. They participate in a variety of biological processes, including respiration, calcification, acid-base balance, bone resorption, and the formation of aqueous humor, cerebrospinal fluid, saliva, and gastric acid. They show extensive diversity in tissue distribution and in their subcellular localization. CA XI is likely a secreted protein, however, radical changes at active site residues completely conserved in CA isozymes with catalytic activity, make it unlikely that it has carbonic anhydrase activity. It shares properties in common with two other acatalytic CA isoforms, CA VIII and CA X. CA XI is most abundantly expressed in brain, and may play a general role in the central nervous system.

For Research Use Only