

Leibovitz's L-15 Complete Medium (20)

Cat. No. : PM151010C

Size : 125mL×4

General Information

Product Form	Liquid
Concentration	Ready-to-use
Components	Leibovitz's L-15[PM151010]+20% Nutrient+1% Supplement
Bacterial detection	Negative
Fungal detection	Negative
Mycoplasmal detection	Negative
Endotoxin level	< 3 EU/mL
Shipping	Ice bag
Storage	2-8°C, Shading Light
Expiry date	6 months

Product Introduction

The buffer system of Leibovitz's L-15 medium is composed of phosphate and free amino acids, instead of the traditional sodium bicarbonate buffer system. Meanwhile, the substitution of galactose and sodium pyruvate for glucose prevents the formation of acidic metabolic by-products, helps to maintain the stable pH of the medium. It is suitable for cell culture in a non-CO₂ balanced environment. Leibovitz's L-15 medium is suitable for the culture of monkey kidney cells and HEP-2, the isolation of primary cells (such as embryonic and adult tissues), the culture of various viruses and the culture of neurons.

Guidelines for use

1. Procell's cell culture media undergoes strict quality control to ensure sterility, but may get contaminated during use. Follow these guidelines for sterile handling to avoid contamination.
2. Always wipe your gloved hands and work area with 70% ethanol.
3. Wipe the outside of the containers, flasks, plates, and dishes with 70% ethanol before placing them in the cell culture hood.
4. Use sterile pipette tips and pipettes to work with liquids, and use each pipette tip only once to avoid cross contamination. Do not unwrap sterile pipettes until they are ready to be used. Keep pipettes and tips within the clean work area.
5. Do not talk while performing sterile procedures and perform your cell culture as efficiently and carefully as possible to minimize contamination.

Quality control

Standard evaluations for cell culture media are pH, osmolality, endotoxins and sterility testing for liquid products, cell growth experiments.

Notes

1. This product is for research use only.
2. This product is sterilized by 0.1 μm filtration.
3. It is necessary to pay attention to the aseptic operation and avoid the contamination during the culture.
4. It is not suitable for long time storage at room temperature.
5. This product is a ready-to-use medium. If there is no special need, don't add serum, penicillin and streptomycin. It can be used directly.

Procell system[®]

Procell system[®]

Procell system[®]

Procell system[®]