# **HDAC5 Polyclonal Antibody**

Catalog Number: E-AB-61573



Note: Centrifuge before opening to ensure complete recovery of vial contents.

## **Description**

**Reactivity** Human

**Immunogen** A synthetic peptide of human HDAC5 (NP\_005465.2).

Host Rabbit
Isotype IgG

**Purification** Affinity purification


**Conjugation** Unconjugated

**Formulation** PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

**Applications** Recommended Dilution

**IF** 1:20-1:50

#### Data



Immunofluorescence analysis of A549 cells using HDAC5 Polyclonal Antibody

# **Preparation & Storage**

**Storage** Store at -20°C. Avoid freeze / thaw cycles.

### **Background**

Histones play a critical role in transcriptional regulation, cell cycle progression, and developmental events. Histone acetylation/deacetylation alters chromosome structure and affects transcription factor access to DNA. The protein encoded by this gene belongs to the class II histone deacetylase/acuc/apha family. It possesses histone deacetylase activity and represses transcription when tethered to a promoter. It coimmunoprecipitates only with HDAC3 family member and might form multicomplex proteins. It also interacts with myocyte enhancer factor-2 (MEF2) proteins, resulting in repression of MEF2-dependent genes. This gene is thought to be associated with colon cancer. Two transcript variants encoding different isoforms have been found for this gene.

# For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017

Web: www.elabscience.com Email: techsupport@elabscience.com