

Recombinant Human CD31/PECAM1 Protein (Fc Tag)

Catalog Number: PKSH033567

Note: Centrifuge before opening to ensure complete recovery of vial contents.


Description

Species	Human
Source	HEK293 Cells-derived Human CD31/PECAM1 protein Gln28-Lys601, with an C-terminal Fc
Calculated MW	91.6 kDa
Observed MW	110-130 kDa
Accession	AAH22512.1
Bio-activity	Not validated for activity

Properties

Purity	> 95 % as determined by reducing SDS-PAGE.
Endotoxin	< 1.0 EU per µg of the protein as determined by the LAL method.
Storage	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80 °C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.
Shipping	This product is provided as lyophilized powder which is shipped with ice packs.
Formulation	Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4. Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants before lyophilization. Please refer to the specific buffer information in the printed manual.
Reconstitution	Please refer to the printed manual for detailed information.

Data



> 95 % as determined by reducing SDS-PAGE.

Background

Semaphorin-4G is the least characterized of the seven known Class 4 transmembrane semaphorin glycoproteins. Class 4 semaphorins play multiple roles in cell attraction or repulsion, such as development of nerve pathways in the brain, promoting or inhibiting proliferation, in some cases organizing immune cell interactions. Semaphorin-4G can be expressed early in development in the central and peripheral nervous systems and in sensory organs, such as cochlea, olfactory epithelium, vomeronasal organ and retina. In adults, Semaphorin-4G can be found in liver, kidney and brain. The human Semaphorin-4G precursor consists of a 17 amino acids signal sequence, a 658 amino acids extracellular domain, a 21 amino acids transmembrane domain, a 142 amino acids cytoplasmic domain with one Ser/Thr phosphorylation site.

For Research Use Only