## **Elabscience**®

## **ACHE Polyclonal Antibody**

## catalog number: E-AB-70014

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description	
Reactivity	Mouse;Rat
Immunogen	KLH conjugated Synthetic peptide corresponding to Mouse AChE
Host	Rabbit
Isotype	IgG
Purification	Affinity purification
Conjugation	Unconjugated
Buffer	Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer, 1% protein protectant and 50% glycerol.

Applications	<b>Recommended Dilution</b>		
WB	1:500-1:2000		

Data

	M-heart	M-liver	M-kidney	R-heart	R-liver	R-kidney	
180KDa-							
130KDa-							
95KDa-							
72KDa-	-	-	-	-	-		ACHE
55KDa-			-			and the second	nonL
43KDa-							
45MDa-							

Western Blot analysis of various samples using ACHE

Polyclonal Antibody at dilution of 1:750.

Observed-MW:68 kDa

Calculated-MW:68 kDa

Preparation & Storage	
Storage	Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.
Shipping	The product is shipped with ice pack, upon receipt, store it immediately at the
	temperature recommended.

## Background

Acetylcholinesterase hydrolyzes the neurotransmitter, acetylcholine at neuromuscular junctions and brain cholinergic synapses, and thus terminates signal transmission. It is also found on the red blood cell membranes, where it constitutes the Yt blood group antigen. Acetylcholinesterase exists in multiple molecular forms which possess similar catalytic properties, but differ in their oligomeric assembly and mode of cell attachment to the cell surface. It is encoded by the single ACHE gene, and the structural diversity in the gene products arises from alternative mRNA splicing, and post-translational associations of catalytic and structural subunits. The major form of acetylcholinesterase found in brain, muscle and other tissues is the hydrophilic species, which forms disulfide-linked oligomers with collagenous, or lipid-containing structural subunits.