### Elabscience Biotechnology Co., Ltd.





# Purified Anti-Human CD200R1 Antibody[OX-108]

Catalog Number: GF14750P

Note: Centrifuge before opening to ensure complete recovery of vial contents.

#### **Description**

Reactivity Human

Immunogen Recombinant Human CD200R1 protein

 Host
 Mouse

 Isotype
 Mouse IgG1,κ

 Clone
 OX-108

**Purification** >98%, Protein A/G purified

**Conjugation** Unconjugated


**Buffer** Phosphate-buffered solution, pH 7.2, containing 0.05% non-protein stabilizer.

Dialyze to completely remove the stabilizer prior to labeling.

### Applications Recommended Dilution

FCM  $2 \mu g/mL(0.5 \times 10^6 - 1 \times 10^6 \text{ cells})$ 

#### **Data**



Human peripheral blood lymphocytes were stained with 0.2  $\mu$ g Purified Anti-Human CD200R1 Antibody[OX-108] (Right) and 0.2  $\mu$ g Mouse IgG1,  $\kappa$  Isotype Control (Left), followed by

Elab Fluor<sup>®</sup> 647-conjugated Goat Anti-Mouse IgG Secondary Antibody, then anti-Human CD4 PerCP-

conjugated Monoclonal Antibody.

## Preparation & Storage

Storage Store at 4°C valid for 12 months or -20°C valid for long term storage, avoid

freeze / thaw cycles.

Shipping Ice bag

### **Background**

CD200R, also known as OX2R, is a membrane glycoprotein with up to 70% of its weight derived from N-linked glycosylation. CD200R is expressed primarily by monocytes and neutrophils but also by other leukocytes including T lymphocytes and mast cells. The interaction between CD200 and CD200R may contribute to pathways that suppress and limit macrophage induced inflammatory damage in tissue. Studies suggest that CD200-CD200R interaction may be involved in the control of myeloid cellular function. Levels of expression on resting peripheral blood cells are relatively low.