

A Reliable Research Partner in Life Science and Medicine

Recombinant Rat IL-6 Protein(His Tag)

Catalog Number: PDER100245

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Species Rat

Source E.coli-derived Rat IL-6 protein Phe25-Thr211, with an N-teminal His

Calculated MW 20.4 kDa
Observed MW 18-20 kDa
Accession P20607

Bio-activity Not validated for activity

Properties

Purity > 90% as determined by reducing SDS-PAGE.

Endotoxin < 10 EU/mg of the protein as determined by the LAL method

Storage Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80

°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of

reconstituted samples are stable at < -20°C for 3 months.


ShippingThis product is provided as lyophilized powder which is shipped with ice packs.FormulationLyophilized from a 0.2 μm filtered solution in PBS with 5% Trehalose and 5%

Mannitol.

Reconstitution It is recommended that sterile water be added to the vial to prepare a stock solution of

0.5 mg/mL. Concentration is measured by UV-Vis.

Data



SDS-PAGE analysis of Rat IL-6 proteins, 2µg/lane of Recombinant Rat IL-6 proteins was resolved with SDS-PAGE under reducing conditions, showing bands at 18-20

kDa

Background

Cytokine with a wide variety of biological functions in immunity, tissue regeneration, and metabolism. Binds to IL6R, then the complex associates to the signaling subunit IL6ST/gp130 to trigger the intracellular IL6-signaling pathway. The interaction with the membrane-bound IL6R and IL6ST stimulates 'classic signaling', whereas the binding of IL6 and soluble IL6R to IL6ST stimulates 'trans-signaling'. Alternatively, 'cluster signaling' occurs when membrane-bound IL6: IL6R complexes on transmitter cells activate IL6ST receptors on neighboring receiver cells.

For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017