

## Recombinant Human Wnt Inhibitory Factor 1/WIF1 Protein (His Tag)

**Catalog Number:** PKSH033225

**Note:** Centrifuge before opening to ensure complete recovery of vial contents.


### Description

<b>Species</b>	Human
<b>Source</b>	HEK293 Cells-derived Human WIF1 protein Gly29-Trp379, with an C-terminal His
<b>Mol_Mass</b>	39.5 kDa
<b>Accession</b>	AAH18037.1
<b>Bio-activity</b>	Not validated for activity

### Properties

<b>Purity</b>	> 95 % as determined by reducing SDS-PAGE.
<b>Endotoxin</b>	< 1.0 EU per µg of the protein as determined by the LAL method.
<b>Storage</b>	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80 °C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.
<b>Shipping</b>	This product is provided as lyophilized powder which is shipped with ice packs.
<b>Formulation</b>	Lyophilized from a 0.2 µm filtered solution of 10mM HAc-NaAc, 150mM NaCl, 0.5% CHAPS, pH 4.0. Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants before lyophilization. Please refer to the specific buffer information in the printed manual.
<b>Reconstitution</b>	Please refer to the printed manual for detailed information.

### Data



> 95 % as determined by reducing SDS-PAGE.

### Background

Wnt Inhibitory Factor 1 (WIF1) is a secreted protein, which binds WNT proteins and inhibits their activities. WNT proteins are extracellular signaling molecules involved in the control of embryonic development. WIF1 contains a WNT inhibitory factor (WIF) domain and 5 epidermal growth factor (EGF)-like domains. is found to be present in fish, amphibia and mammals. WIF1 is a recurrent target in human salivary gland oncogenesis. WIF1 may be involved in mesoderm segmentation. WIF1 is a tumor suppressor, specifically in nonfunctioning pituitary tumors.

### For Research Use Only