

# Recombinant Human TREML2/TLT2 Protein (His Tag)

Catalog Number:PKSH031041

 **DIA-AN®**  
by Elabscience

**Note:** Centrifuge before opening to ensure complete recovery of vial contents.


## Description

<b>Synonyms</b>	Trem-like transcript 2 protein;TLT2;Triggering receptor expressed on myeloid cells-like protein 2;TLT2;C6orf76
<b>Species</b>	Human
<b>Expression Host</b>	HEK293 Cells
<b>Sequence</b>	Met 1-Ser 268
<b>Accession</b>	NP_079083.2
<b>Calculated Molecular Weight</b>	28.5 kDa
<b>Observed molecular weight</b>	55-60 kDa
<b>Tag</b>	C-His

## Properties

<b>Purity</b>	> 95 % as determined by reducing SDS-PAGE.
<b>Endotoxin</b>	< 1.0 EU per µg of the protein as determined by the LAL method.
<b>Storage</b>	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.
<b>Shipping</b>	This product is provided as lyophilized powder which is shipped with ice packs.
<b>Formulation</b>	Lyophilized from sterile PBS, pH 7.4 Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization. Please refer to the specific buffer information in the printed manual.
<b>Reconstitution</b>	Please refer to the printed manual for detailed information.

## Data



> 95 % as determined by reducing SDS-PAGE.

## Background

Trem-like transcript 2 protein, also known as Triggering receptor expressed on myeloid cells-like protein 2, TREML2 and TLT2, is a single-pass type I membrane protein which contains one Ig-like V-type (immunoglobulin-like) domain. TREML2 is detected in cultured B cells, T cell leukemia and monocyte leukemia. TREML2 is expressed constitutively on CD8 T-cells and induced on CD4 T-cells after activation. TREML2 is a cell surface receptor that may play a role in the innate and adaptive immune response. TREML2 acts as a counter-receptor for CD276 and interaction with CD276 on T-cells enhances T-cell activation. Murine B7-H3 specifically bound to Triggering receptor expressed on myeloid cells (TREM)-like transcript 2 (TLT-2, TREML2). TREML2 was expressed on CD8(+) T cells constitutively and on activated

## For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Toll-free: 1-888-852-8623

Web: [www.elabscience.com](http://www.elabscience.com)

Tel: 1-832-243-6086

Email: [techsupport@elabscience.com](mailto:techsupport@elabscience.com)

Fax: 1-832-243-6017

# Recombinant Human TREML2/TLT2 Protein (His Tag)

Catalog Number:PKSH031041



CD4(+) T cells. Stimulation with B7-H3 transfectants preferentially up-regulated the proliferation and IFN-gamma production of CD8(+) T cells. Transduction of TREML2 into T cells resulted in enhanced IL-2 and IFN-gamma production via interactions with B7-H3. There maybe a direct interaction between B7-H3 and TREML2 that preferentially enhances CD8(+) T cell activation.

## For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Toll-free: 1-888-852-8623

Web: [www.elabscience.com](http://www.elabscience.com)

Tel: 1-832-243-6086

Email: [techsupport@elabscience.com](mailto:techsupport@elabscience.com)

Fax: 1-832-243-6017