## IDUA Polyclonal Antibody

catalog number: E-AB-52010



Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description		
Reactivity	Human;Mouse	
Immunogen	Synthetic peptide of human IDUA	
Host	Rabbit	
Isotype	IgG	
Purification	Antigen affinity purification	
	Unconjugated	
Conjugation buffer		
buller	Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.	
Applications	Recommended Dilution	
IHC	1:30-1:150	
Data		
2	paraffin-embedded Human tonsil	Immunohistochemistry of paraffin-embedded Human
tissue using IDUA Polyclonal Antibody at dilution of		colorectal cancer tissue using IDUA Polyclonal Antibody at
1:30(×200) dilution of 1:30(×200)		
Preparation & Storage		
Storage	Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.	
Shipping	The product is shipped with ice pack, upon receipt, store it immediately at the	
temperature recommended.		
Background		
This gene encodes an enzyme that hydrolyzes the terminal alpha-L-iduronic acid residues of two glycosaminoglycans,		
demuster explicite and han even explicite. This had a have is in accurated for the hand experience detries of these		

dermatan sulfate and heparan sulfate. This hydrolysis is required for the lysosomal degradation of these glycosaminoglycans. Mutations in this gene that result in enzymatic deficiency lead to the autosomal recessive disease mucopolysaccharidosis type I (MPS I).

## For Research Use Only