# **Elabscience**®


## NDUFB7 Polyclonal Antibody


### catalog number: E-AB-64793

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description	
Reactivity	Human;Mouse;Rat
Immunogen	Recombinant fusion protein of human NDUFB7 (NP_004137.2).
Host	Rabbit
Isotype	IgG
Purification	Affinity purification
Buffer	Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.
Applications	Recommended Dilution
WB	1:500-1:2000
IHC	1:50-1:100
IF	1:50-1:100


#### Data






Western blot analysis of extracts of various cell lines using NDUFB7 Polyclonal Antibody at dilution of 1:3000.

## Observed-MW:16 kDa




Immunohistochemistry of paraffin-embedded Human esophageal using NDUFB7 Polyclonal Antibody at dilution



Immunohistochemistry of paraffin-embedded Rat heart using NDUFB7 Polyclonal Antibody at dilution of 1:100 (40x

lens).



Immunohistochemistry of paraffin-embedded Mouse spleen using NDUFB7 Polyclonal Antibody at dilution of 1:100 (40x lens).

### For Research Use Only

Toll-free: 1-888-852-8623 Web:<u>w w w .elabscience.com</u>

# **Elabscience**®

Immunofluorescence analysis of L929 cells using NDUFB7 Polyclonal Antibody at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.

Preparation & Storage	
Storage	Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.
Shipping	The product is shipped with ice pack,upon receipt,store it immediately at the
	temperature recommended.

#### Background

The protein encoded by this gene is a subunit of the multisubunit NADH:ubiquinone oxidoreductase (complex I). Mammalian complex I is composed of 45 different subunits. It is located at the mitochondrial inner membrane. This protein has NADH dehydrogenase activity and oxidoreductase activity. It transfers electrons from NADH to the respiratory chain. The immediate electron acceptor for the enzyme is believed to be ubiquinone.

For Research Use Only