

Recombinant Thrombomodulin Monoclonal Antibody

catalog number: **AN301673L**

Note: *Centrifuge before opening to ensure complete recovery of vial contents.*


Description

Reactivity	Human;
Immunogen	Recombinant human Thrombomodulin fragment
Host	Rabbit
Isotype	IgG, κ
Clone	A376
Purification	Protein A purified
Buffer	PBS, 50% glycerol, 0.05% Proclin 300, 0.05% protein protectant.


Applications

Applications	Recommended Dilution
IHC	1:100
IF	1:50


Data



Immunohistochemistry of paraffin-embedded Human lung squamous carcinoma using Thrombomodulin Monoclonal Antibody at dilution of 1:100.



Immunohistochemistry of paraffin-embedded Human placenta using Thrombomodulin Monoclonal Antibody at dilution of 1:100.



Immunofluorescent analysis of (4% Paraformaldehyde) fixed A431 cells using anti-Thrombomodulin Monoclonal Antibody at dilution of 1:50.

Preparation & Storage

Storage	Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.
Shipping	Ice bag

Background

Thrombomodulin is a specific endothelial cell receptor that forms a 1:1 stoichiometric complex with thrombin. This complex is responsible for the conversion of protein C to the activated protein C (protein Ca). Once evolved, protein Ca scissions the activated cofactors of the coagulation mechanism, factor Va and factor VIIIa, and thereby reduces the amount of thrombin generated.

For Research Use Only