A Reliable Research Partner in Life Science and Medicine

Recombinant Human BAX Protein(Trx Tag)

Catalog Number: PDEH100644

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Species Human

Source E.coli-derived Human BAX protein Met1-Trp158, with an N-terminal Trx

 Calculated MW
 37.4 kDa

 Observed MW
 35 kDa

 Accession
 Q07812

Bio-activity Not validated for activity

Properties

Purity > 95% as determined by reducing SDS-PAGE.

Endotoxin < 10 EU/mg of the protein as determined by the LAL method

Storage Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80

°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of

reconstituted samples are stable at < -20°C for 3 months.


ShippingThis product is provided as lyophilized powder which is shipped with ice packs.FormulationLyophilized from a 0.2 μm filtered solution in PBS with 5% Trehalose and 5%

Mannitol.

Reconstitution It is recommended that sterile water be added to the vial to prepare a stock solution of

0.5 mg/mL. Concentration is measured by UV-Vis.

Data



SDS-PAGE analysis of Human BAX proteins, 2µg/lane of Recombinant Human BAX proteins was resolved with SDS-PAGE under reducing conditions, showing bands at 35 KD

Background

BCL2 associated X (BAX) is a critical apoptotic regulator that can be transformed from a cytosolic monomer into a lethal mitochondrial oligomer, The pro-apoptotic BCL-2 protein BAX commits human cells to apoptosis by permeabilizing the outer mitochondrial membrane. BAX activation has been suggested to require the separation of helix alpha5 from alpha6 - the 'latch' from the 'core' domain - among other conformational changes. BCL-2-associated X (BAX) protein acts as a gatekeeper in regulating mitochondria-dependent apoptosis. Under cellular stress, BAX becomes activated and transforms into a lethal oligomer that causes mitochondrial outer membrane permeabilization (MOMP).

For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017