CLEC1B Polyclonal Antibody

catalog number: E-AB-18219



Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Reactivity Human

Immunogen Fusion protein of human CLEC1B

Host Rabbit IgG **Is otype**

Purification Antigen affinity purification


Unconjugated Conjugation

buffer Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.

Applications Recommended Dilution

IHC 1:50-1:200

Data



Immunohistochemistry of paraffin-embedded Human at dilution of $1:60(\times 200)$



Immunohistochemistry of paraffin-embedded Human liver colorectal cancer tissue using CLEC1B Polyclonal Antibody cancer tissue using CLEC1B Polyclonal Antibody at dilution of 1:60(×200)

Preparation & Storage

Storage Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.

Shipping The product is shipped with ice pack, upon receipt, store it immediately at the

temperature recommended.

Background

Natural killer (NK) cells express multiple calcium-dependent (C-type) lectin-like receptors, such as CD94 (KLRD1; MIM 602894) and NKG2D (KLRC4; MIM 602893), that interact with major histocompatibility complex class I molecules and either inhibit or activate cytotoxicity and cytokine secretion. CLEC2 is a C-type lectin-like receptor expressed in myeloid cells and NK cells (Colonna et al., 2000 [PubMed 10671229]).

For Research Use Only