Elabscience®

NOS3 Polyclonal Antibody

catalog number: E-AB-32267

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Reactivity	Human;Mouse;Rat
Immunogen	Synthesized peptide derived from human NOS3 around the non-phosphorylation site
	of Ser1177.
Host	Rabbit
Isotype	IgG
Purification	Affinity purification
Conjugation	Unconjugated
Buffer	Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer, 0.5% protein
	protectant and 50% glycerol.
Applications	Recommended Dilution
WB	1:500-1:2000
IHC	1:100-1:300
IF	1:200-1:1000
	9 Mail
Western Blot analysis o	www.elabscience.com of HepG2 cells with NOS3 Polycional Antibody
-	www.elabscience.com of HepG2 cells with NOS3 Polyclonal Antibody.
Obse	r- www.elabscience.com of HepG2 cells with NOS3 Polyclonal Antibody. rved-MW:140 kDa
Obse Calcu	www.elabscience.com of HepG2 cells with NOS3 Polyclonal Antibody. rved-MW:140 kDa lated-MW:133 kDa
Obse Calcu Preparation & Storag	www.elabscience.com of HepG2 cells with NOS3 Polyclonal Antibody. rved-MW:140 kDa lated-MW:133 kDa e
Obse Calcu Preparation & Storag Storage	<pre>** ** ** ** ** ** ** ** ** ** ** ** **</pre>
Obse Calcu Preparation & Storag	www.elabscience.com of HepG2 cells with NOS3 Polyclonal Antibody. rved-MW:140 kDa lated-MW:133 kDa e
Obse Calcu Preparation & Storag Storage	<pre>** ** ** ** ** ** ** ** ** ** ** ** **</pre>

transduction pathway. NO mediates vascular endothelial growth factor (VEGF)-induced angiogenesis in coronary vessels and promotes blood clotting through the activation of platelets.