## Purified Anti-Mouse CD31 Antibody[390]

catalog number: E-AB-F11800P



Description	
Reactivity	Mouse
Immunogen	Recombinant Mouse CD31 protein
Host	Rat
Isotype	Rat IgG2a, к
Clone	390
Purification	>98%, Protein A/G purified
Conjugation	Unconjugated
buffer	PBS, pH 7.2. Contains 0.05% proclin 300.
Applications	Recommended Dilution
FCM	$2 \mu g/mL(1 \times 10^5 - 5 \times 10^5 \text{ cells})$
Data	
C57/BL6 Mouse spler Purified Anti-Mouse CD2 Rat IgG2b, κ Isotype C	$\int_{D^2} \frac{1}{10^3} \frac{1}{10^4} \frac{1}{10^5} \frac{1}{10^6}$ $\int_{D^2} \frac{1}{10^3} \frac{1}{10^4} \frac{1}{10^5} \frac{1}{10^6}$ $\int_{D^2} \frac{1}{10^4} \frac{1}{10^5} \frac{1}{10^6} \frac{1}{10^6}$ $\int_{D^2} \frac{1}{10^4} \frac{1}{10^5} \frac{1}{10^6} \frac$
Antibody.	
Preparation & Storage	
Storage	Store at 4°C valid for 12 months or -20°C valid for long term storage, avoid freeze / thaw cycles.
Shipping	Order now, ship in 3 days
Background	
	which is required for leukocyte transendothelial migration (TEM) under most inflammatory

Cell adhesion molecule which is required for leukocyte transendothelial migration (TEM) under most inflammatory conditions.

## For Research Use Only