A Reliable Research Partner in Life Science and Medicine

Recombinant Human Tetherin/BST2 Protein (His Tag)

Catalog Number: PKSH033296

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Species Human

Source HEK293 Cells-derived Human Tetherin/BST2 protein Asn49-Ser161, with an C-terminal

His

Calculated MW13.7 kDaObserved MW23 kDaAccessionQ10589

Bio-activity Not validated for activity

Properties

Purity > 95 % as determined by reducing SDS-PAGE.

Endotoxin < 1.0 EU per µg of the protein as determined by the LAL method.

Storage Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80

°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of

reconstituted samples are stable at < -20°C for 3 months.

ShippingThis product is provided as lyophilized powder which is shipped with ice packs.FormulationLyophilized from a 0.2 μm filtered solution of 20mM PB, 150mM NaCl, pH 7.4.


Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants

before lyophilization.

Please refer to the specific buffer information in the printed manual.

Reconstitution Please refer to the printed manual for detailed information.

Data



> 95 % as determined by reducing SDS-PAGE.

Background

Bone Marrow Stromal Antigen 2 (BST2) is a single-pass type II membrane protein that belongs to the tetherin family. BST2 is predominantly expressed in the liver; lung; heart and placenta. BST2 is involved in the sorting of secreted proteins. BST2 is a human cellular protein which inhibits retrovirus infection by preventing the diffusion of virus particles after budding from infected cells. BST2 is initially discovered as an inhibitor to HIV-1 infection in the absence of Vpu; it has also been shown to inhibit the release of other viruses such as retroviruses; filoviruses; arenaviruses; and herpes viruses. BST2 may play a role in B-cell activation in rheumatoid arthritis.

For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017