A Reliable Research Partner in Life Science and Medicine

# **CBX3 Monoclonal Antibody**

catalog number: E-AB-22270

Note: Centrifuge before opening to ensure complete recovery of vial contents.

#### **Description**

Reactivity Human; Mouse; Rat

**Immunogen** Recombinant Protein of HP-1y

**Host** Mouse Isotype IgG Clone 4F4

**Purification** Protein A purification


Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer, 0.5% protein Buffer

protectant and 50% glycerol.

#### **Applications Recommended Dilution**


WB 1:500-2000 IHC 1:50-300


#### Data



Western Blot analysis of 1) Hela, 2) 3T3, 3) PC12 cells using Immunohistochemistry of paraffin-embedded Human colon carcinoma tissue using CBX3 Monoclonal Antibody at

dilution of 1:200.





Immunohistochemistry of paraffin-embedded Human placenta tissue using CBX3 Monoclonal Antibody at dilution of 1:200.

### **Preparation & Storage**

Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles. Storage

Shipping The product is shipped with ice pack, upon receipt, store it immediately at the

temperature recommended.

### Background

### For Research Use Only

## **Elabscience Bionovation Inc.**



A Reliable Research Partner in Life Science and Medicine

At the nuclear envelope, the nuclear lamina and heterochromatin are adjacent to the inner nuclear membrane. The protein encoded by this gene binds DNA and is a component of heterochromatin. This protein also can bind lamin B receptor, an integral membrane protein found in the inner nuclear membrane. The dual binding functions of the encoded protein may explain the association of heterochromatin with the inner nuclear membrane. This protein binds histone H3 tails methylated at Lys-9 sites. This protein is also recruited to sites of ultraviolet-induced DNA damage and double-strand breaks.

For Research Use Only

Toll-free: 1-888-852-8623 Web:www.elabscience.com

Tel: 1-832-243-6086 Email:techsupport@elabscience.com

Rev. V1.7