Elabscience®

Human VEGF-D Antibody Pair Set

Catalog No.E-KAB-0227ApplicationsSynonymsFIGF, VEGF-D, VEGFD, C-fos induced growth factor

ELISA

Kit components & Storage

Title	Specifications	Storage
Human VEGF-D Capture Antibody	1 vial, 100 µ g	Store at -20° C for one year.
		Avoid freeze / thaw cycles.
Human VEGF-D Detection Antibody	1 vial, 50 μL	Store at -20°C for one year.
(Biotin)		Avoid freeze / thaw cycles.

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Product Information

Items		Characteristic (E-KAB-0227)	
		Human VEGF-D Capture Antibody	Human VEGF-D Detection Antibody (Biotin)
Immunogen	Immunogen	Recombinant Human VEGF-D	Recombinant Human VEGF-D protein
Information		protein	
	Swissprot	O43915	
Product details	Reactivity	Human	Human
	Host	Goat	Rabbit
	Conjugation	Unconjugated	Biotin
	Concentration	0.5mg/mL	/
	Buffer	PBS with 0.04% Proclin 300, 50%	PBS with 0.04% Proclin 300, 1%
		glycerol, pH 7.4	protective protein, 50% glycerol, pH
			7.4
	Purify	Antigen Affinity	Protein A & Antigen Affinity
	Specificity	Detects Human VEGF-D in ELISAs.	

For Research Use Only

Elabscience®

Applications

Human VEGF-D Sandwich ELISA Assay:

	Recommended	Reagent	Images
	Concentration/Dilution		
ELISA	0.5-4µg/mL	Human VEGF-D Capture Antibody	
Capture			
ELISA Detection	1:1000-1:10000	Human VEGF-D Detection Antibody (Biotin)	Optical Density
			0.01 100 1000 10000 100000 10 Human VEGF-D concentration(pg/mL)

Note: This standard curve is only for demonstration purposes. A standard curve should be generated for each assay!

Background

The protein encoded by this gene is a member of the platelet-derived growth factor/vascular endothelial growth factor (PDGF/VEGF) family and is active in angiogenesis, lymphangiogenesis, and endothelial cell growth. This secreted protein undergoes a complex proteolytic maturation, generating multiple processed forms which bind and activate VEGFR-2 and VEGFR-3 receptors. This protein is structurally and functionally similar to vascular endothelial growth factor C. Read-through transcription has been observed between this locus and the upstream PIR (GeneID 8544) locus.

For Research Use Only