



A Reliable Research Partner in Life Science and Medicine

# **Human CD5L Antibody Pair Set**

Catalog No.E-KAB-0509ApplicationsELISASynonymsCD5L;AIM;API6;PRO229;SP-ALPHA;Spalpha;CT-2;hAIM;CD5 molecule like

## **Kit components & Storage**

Title	Specifications	Storage
Human CD5L Capture Antibody	1 vial, 100 μ g	Store at -20°C for one year. Avoid
		freeze/thaw cycles.
Human CD5L Detection Antibody	1 vial, 50 μL	Store at -20°C for one year. Avoid
(Biotin)		freeze/thaw cycles.

Note: Centrifuge before opening to ensure complete recovery of vial contents.

#### **Product Information**

Items		Characteristic (E-KAB-0509)	
		Human CD5L Capture Antibody	Human CD5L Detection Antibody
			(Biotin)
Immunogen	Immunogen	Recombinant Human CD5L protien	Recombinant Human CD5L protien
Information	Swissprot	O43866	
Product details	Reactivity	Human	Human
	Host	Rabbit	Rabbit
	Conjugation	Unconjugated	Biotin
	Concentration	0.5 mg/mL	/
	Buffer	PBS with 0.04% Proclin 300; 50%	PBS with 0.04% Proclin 300; 1%
		glycerol; pH 7.5	protective protein; 50% glycerol; pH
			7.5
	Purify	Antigen Affinity	Antigen Affinity
	Specificity	Detects Human CD5L in ELISAs.	

For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017 Web: <a href="mailto:www.elabscience.com">www.elabscience.com</a> Email: <a href="mailto:techsupport@elabscience.com">techsupport@elabscience.com</a>



A Reliable Research Partner in Life Science and Medicine

## **Applications**

Human CD5L Sandwich ELISA Assay

	Recommended	Reagent	Images
	Concentration/Dilution		
ELISA	0.5-4 μg/mL	Human CD5L Capture	
Capture		Antibody	10
			Optical Density
ELISA	1:1000-1:10000	Human CD5L Detection	Optical
Detection		Antibody (Biotin)	0.1
			100 1000 10000 Human CD5L Concentration ( pg/mL )

Note: This standard curve is only for demonstration purposes. A standard curve should be generated for each assay!

### **Background**

CD5L (CD5 molecule-like), also known as API6, PRO229, Spalpha or SP-ALPHA, is a 347 amino acid secreted protein that belongs to the scavenger receptor cysteine-rich (SRCR) family of leukocyte regulating proteins. Expressed in bone marrow, spleen, thymus, lymph node and fetal liver, CD5L is thought to be involved in regulating the immune system via binding to peripheral monocytes and mediating their activation and overall survival. CD5L has three cysteine-rich domains and, in addition to its role in the immune system, may function to inhibit apoptosis and promote macrophage survival.

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017 Web: <a href="mailto:www.elabscience.com">www.elabscience.com</a> Email: <a href="mailto:techsupport@elabscience.com">techsupport@elabscience.com</a>