

A Reliable Research Partner in Life Science and Medicine

Recombinant Human Pancreatic lipase/PL Protein (His Tag)

Catalog Number: PDEH100821

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Species Human

Source E.coli-derived Human Pancreatic lipase protein Pro245-Cys465, with an N-terminal

His

Calculated MW24.2 kDaObserved MW30 kDaAccessionP16233

Bio-activity Not validated for activity

Properties

Purity > 95% as determined by reducing SDS-PAGE.

Endotoxin < 10 EU/mg of the protein as determined by the LAL method

Storage Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -

80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of

reconstituted samples are stable at < -20°C for 3 months.

Shipping

This product is provided as lyophilized powder which is shipped with ice packs.

Formulation


Lyophilized from a 0.2 µm filtered solution in PBS with 5% Trehalose and 5%

Mannitol.

Reconstitution It is recommended that sterile water be added to the vial to prepare a stock solution

of 0.5 mg/mL. Concentration is measured by UV-Vis.

Data



SDS-PAGE analysis of Human Pancreatic lipase/PL proteins, 2 µg/lane of Recombinant Human Pancreatic lipase/PL proteins was resolved with SDS-PAGE under reducing conditions, showing bands at 30 kDa.

Background

PNLIP is an enzyme which belongs to the lipase family. Secreted from the pancreas, PNLIP is the primary lipase that hydrolyzes dietary fat molecules in the human digestive system, converting triglyceride substrates found in ingested oils to monoglycerides and free fatty acids. Bile salts secreted from the liver and stored in gallbladder are released into the duodenum where they coat and emulsify large fat droplets into smaller droplets, thus increasing the overall surface area of the fat, which allows the lipase to break apart the fat more effectively. The resulting monomers (2 free fatty acids and one 2-monoacylglycerol) are then moved by way of peristals is along the small intestine to be absorbed into the lymphatic system by a specialized vessel called a lacteal.

For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017

Web: www.elabscience.com Email: techsupport@elabscience.com