## **Elabscience**®

### Elab Fluor<sup>®</sup> 488 Anti-Mouse CD23 Antibody[B3B4]


Catalog Number: E-AB-F1178UL

Note: Centrifuge before opening to ensure complete recovery of vial contents.

in 100 µL volume].

Description	
Reactivity	Mouse
Host	Rat
Isotype	Rat lgG2a, ĸ
Clone No.	B3B4
Isotype Control	Elab Fluor <sup>®</sup> 488 Rat IgG2a, к Isotype Control[2А3] [Product E-AB-F09833L]
Conjugation	Elab Fluor <sup>®</sup> 488
Conjugation Information	Elab Fluor <sup>®</sup> 488 is designed to be excited by the Blue laser (488 nm) and detected using an optical filter centered near 520 nm (e.g., a 525/40 nm bandpass filter).
Storage Buffer	Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer and 1% protein
	protectant.
Applications	Recommended usage
FCM	Each lot of this antibody is quality control tested by flow cytometric analysis. Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use. We suggest each investigator should titrate the
	reagent to obtain optimal results [The recommended concentration is 0.1-1 $\mu$ g/10 <sup>6</sup> cells

Data



C57BL/6 murine splenocytes are stained with APC Anti-

Mouse CD45R/B220 Antibody and Elab Fluor<sup>®</sup> 488 Anti-Mouse CD23 Antibody (Left). Splenocytes are stained with

APC Anti-Mouse CD45R/B220 Antibody and Elab Fluor<sup>®</sup> 488 Rat IgG2a,  $\kappa$  Isotype Control (Right).

Preparation & Storage	
Storage	Keep as concentrated solution.
Shipping	This product can be stored at 2-8°C for 12 months. Please protected from prolonged exposure to light and do not freeze. Ice bag
Shipping	
Antigen Information	
Alternate Names	Fc-epsilon-RIIFcer2;Fcer2a;Lymphocyte IgE receptor
Uniprot ID	P20693

### For Research Use Only

Toll-free: 1-888-852-8623 Web:<u>w w w .elabscience.com</u>

# **Elabscience**®

Gene ID Background

#### 14128

CD23 is a 45 kD protein also known as low affinity IgE Fc receptor, FccRII, BLAST-2, Ly-42, or B6. It is a member of the Ig family, expressed on conventional B (but not B-1) cells and follicular dendritic cells. CD23 responds to high levels of IgE by downregulating IgE secretion.