A Reliable Research Partner in Life Science and Medicine

Recombinant Mouse CCL6/C10 Protein(Trx Tag)

Catalog Number: PDEM100152

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Species Mouse

Source E.coli-derived Mouse CCL6/C10 protein Gly22-Ala116, with an N-terminal Trx

Calculated MW30.3 kDaObserved MW32 kDaAccessionP27784

Bio-activity Not validated for activity

Properties

Purity > 90% as determined by reducing SDS-PAGE.

Endotoxin < 10 EU/mg of the protein as determined by the LAL method

Storage Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80

°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of

reconstituted samples are stable at < -20°C for 3 months.


ShippingThis product is provided as lyophilized powder which is shipped with ice packs.FormulationLyophilized from a 0.2 μm filtered solution in PBS with 5% Trehalose and 5%

Mannitol.

Reconstitution It is recommended that sterile water be added to the vial to prepare a stock solution of

0.5 mg/mL. Concentration is measured by UV-Vis.

Data



SDS-PAGE analysis of Mouse CCL6/C10 proteins , $2\mu g$ /lane of Recombinant Mouse CCL6/C10 proteins was resolved with SDS-PAGE under reducing conditions , showing bands at $32\ KD$

Background

In mice, CCL6/C10 is expressed in cells from neutrophil and macrophage lineages, and can be greatly induced under conditions suitable for myeloid cell differentiation. It is highly expressed in bone marrow cultures that have been stimulated with the cytokine GM-CSF. Some low levels of gene expression also occur in certain cell lines of myeloid origin (e.g. the immature myeloid cell lines DA3 and 32D cl3, and the macrophage cell line P388D) that can also be greatly induced in culture with GM-CSF. However, in activated T cell lines, expression of CCL6/C10 is greatly reduced. CCL6/C10 can also be induced in the Mouse lung by the cytokine interleukin 13

For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017