# **ZAP70 Polyclonal Antibody**

catalog number: E-AB-53218



Note: Centrifuge before opening to ensure complete recovery of vial contents.

### Description

Reactivity Human; Mouse

Immunogen Synthetic peptide of human ZAP70

Host Rabbit Isotype IgG

**Purification** Antigen affinity purification


**Conjugation** Unconjugated

**buffer** Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.


Applications	Recommended Dilution

**WB** 1:500-1:2000 **IHC** 1:25-1:100

### Data




Western blot analysis of Jurkat cells mouse thymus tissue using ZAP70 Polyclonal Antibody at dilution of 1:1000



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using ZAP70 Polyclonal Antibody at dilution of 1:50(×200)

## Observed-MV: Refer to figures

Calculated-MV:70 kDa



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using ZAP70 Polyclonal Antibody at dilution of 1:50(×200)

## Preparation & Storage

Storage Storage Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.

**Shipping** The product is shipped with ice pack,upon receipt, store it immediately at the

temperature recommended.

### Background

Zeta-associated protein (ZAP)-70,a member of the Syk family of tyrosine kinases, plays an important role in T-cell receptor signaling, natural killer (NK) cell activation and early B-cell development. ZAP-70 is expressed in a subset of cases of chronic lymphocytic leukemia/small lymphocytic lymphoma (CLL/SLL) with unmutated immunoglobulin heavy-chain variable region (IgVH) genes and is associated with poor clinical outcome.

### For Research Use Only