

Recombinant Human COL8A1 Protein (His Tag)

Catalog Number: PKSH032267

Note: Centrifuge before opening to ensure complete recovery of vial contents.


Description

Species	Human
Source	HEK293 Cells-derived Human COL8A1 protein Gly28-Met744, with an C-terminal His
Calculated MW	71.6 kDa
Observed MW	58&85 kDa
Accession	P27658
Bio-activity	Not validated for activity

Properties

Purity	> 95 % as determined by reducing SDS-PAGE.
Endotoxin	< 1.0 EU per µg of the protein as determined by the LAL method.
Storage	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.
Shipping	This product is provided as lyophilized powder which is shipped with ice packs.
Formulation	Lyophilized from a 0.2 µm filtered solution of 20mM PB, 150mM NaCl, pH 7.2. Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants before lyophilization. Please refer to the specific buffer information in the printed manual.
Reconstitution	Please refer to the printed manual for detailed information.

Data



> 95 % as determined by reducing SDS-PAGE.

Background

Collagen alpha-1(VIII) chain, also known as endothelial collagen, C3orf7 and COL8A1, can be cleaved into vastatin chain. COL8A1 is a short chain collagen and a major component of the basement membrane of the corneal endothelium. COL8A1 forms homotrimers, or heterotrimers in association with alpha 2(VIII) type collagens. Four homotrimers can form a tetrahedron stabilized by central interacting C-terminal NC1 trimers. COL8A1 contains one C1q domain and is primarily expressed in the subendothelium of large blood vessels. The expression level can be up-regulated during vascular injury, in atherosclerosis and in diabetes. COL8A1 may have a role in the maintenance of vessel wall integrity and structure, in particular in atherogenesis.

For Research Use Only