

A Reliable Research Partner in Life Science and Medicine

(KO Validated) CD274 Polyclonal Antibody

catalog number: E-AB-92259

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Reactivity Human; Mouse; Rat

Immunogen Recombinant fusion protein of mouse CD274

Host Rabbit Isotype IgG


Purification Affinity purification


Buffer Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.

Recommended Dilution Applications

WB 1:500-1:2000

Data





Western blot analysis of extracts from normal (control) and CD274 knockout (KO) A-549 cells, using CD274 Polyclonal

Antibody at 1:500 dilution.

Observed-MW:40-50 kDa

Calculated-MW:32 kDa

Western blot analysis of extracts of various cell lines using CD274 Polyclonal Antibody at 1:500 dilution.

> Observed-MW:40-50 kDa Calculated-MW:32 kDa

Preparation & Storage

Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles. Storage

Shipping The product is shipped with ice pack, upon receipt, store it immediately at the

temperature recommended.

Background

The protein encoded by this gene is an immune inhibitory receptor ligand that is expressed by hematopoietic and nonhematopoietic cells, such as T cells and B cells and various types of tumor cells. The encoded protein is a type I transmembrane protein that has immunoglobulin V-like and C-like domains. Interaction of this ligand with its receptor inhibits T-cell activation and cytokine production. During infection or inflammation of normal tissue, this interaction is important for preventing autoimmunity by maintaining homeostasis of the immune response. In tumor microenvironments, this interaction provides an immune escape for tumor cells through cytotoxic T-cell inactivation. Mice deficient for this gene display a variety of phenotypes including decreased allogeneic fetal survival rates and severe experimental autoimmune encephalomyelitis.

For Research Use Only

Fax: 1-832-243-6017