



A Reliable Research Partner in Life Science and Medicine

PE/Cyanine7 Anti-Human CD41 Antibody[10E5-F0061]

Catalog Number: AN00332H

Note: Centrifuge before opening to ensure complete recovery of vial contents.

_		400	
Desc		7 77	٦n
レヒコレ	ш		711

Reactivity Human Host Mouse

Isotype Mouse IgG2a, κ **Clone No.** 10E5-F0061

Isotype Control PE/Cyanine7 Mouse IgG2a, κ Isotype Control[C1.18.4] [Product E-AB-F09802H]

Conjugation PE/Cyanine 7

Conjugation Information PE/Cyanine7 is designed to be excited by the Blue (488 nm), Green (532 nm) and

yellow-green (561 nm) lasers and detected using an optical filter centered near 775 nm

(e.g., a 780/60 nm bandpass filter).

Storage Buffer Phosphate buffered solution, pH 7.2, containing 0.09% sodium azide and 1% BSA.

Applications Recommended usage

FCM Each lot of this antibody is quality control tested by flow cytometric analysis. The amount

of the reagent is suggested to be used 5 μ L of antibody per test (million cells in 100 μ L staining volume or per 100 μ L of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for

individual use.

Preparation & Storage

Storage Keep as concentrated solution.

This product can be stored at 2-8°C for 12 months. Please protected from prolonged

exposure to light and do not freeze.

Shipping Ice bag

Antigen Information

 Alternate Names
 gpllb;CD41a

 Uniprot ID
 P08514

 Gene ID
 3674

Background CD41 is a 125/25 kD α subunit of the gpllb/llla (CD41/CD61) complex. CD41 is a

Web: www.elabscience.cn

heterodimer composed of a heavy chain (gpllb α) and light chain (gpllb β) linked by a single disulfide bond. It is a member of the integrin family primarily expressed on platelets and megakaryocytes. CD41 has been reported to be involved with platelet aggregation and platelet attachment to the ECM. CD41/CD61 complex acts as the

receptor for fibrinogen, fibronectin, Von Willebrand factor, and thrombin.

For Research Use Only