

DCTN4 Polyclonal Antibody

catalog number: E-AB-14938

Note: Centrifuge before opening to ensure complete recovery of vial contents.


Description

Reactivity	Human;Mouse;Rat
Immunogen	Recombinant protein of human DCTN4
Host	Rabbit
Isotype	IgG
Purification	Affinity purification
Buffer	Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.


Applications Recommended Dilution

IHC	1:50-1:200
------------	------------

Data



1:30



1:30

Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using DCTN4 Polyclonal Antibody at dilution 1:30

Immunohistochemistry of paraffin-embedded Human breast cancer tissue using DCTN4 Polyclonal Antibody at dilution 1:30

Preparation & Storage

Storage	Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.
Shipping	The product is shipped with ice pack, upon receipt, store it immediately at the temperature recommended.

Background

Dynactin is a multisubunit complex and a required cofactor for most, or all, of the cellular processes powered by the microtubule-based motor cytoplasmic dynein. Dynactin contains a short actin-related protein 1 (Arp1) filament with capZ at the barbed end and p62 at the pointed end. The p62 subunit is an integral component of 20 S dynactin with a highly conserved cysteine-rich motif that interacts directly with Arp1. Dynactin p62 has a punctate cytoplasmic distribution as well as centrosomal distribution typical of dynactin. In addition, Dynactin p62 is distributed in the nucleus at very high expression levels. Due to the structural composition of dynactin, the p62 subunit is implicated in Arp1 pointed-end binding and in linking dynein and dynactin to the cortical cytoskeleton.

For Research Use Only