
Recombinant Human SNAP25/SUP Protein (His Tag)

Catalog Number: PKSH031077

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description	
Species	Human
Source	E.coli-derived Human SNAP25/SUP protein Met 1-Gly 206, with an N-terminal His
Calculated MW	24.8 kDa
Observed MW	28 kDa
Accession	P60880-1
Bio-activity	Not validated for activity
Properties	
Purity	>90 % as determined by reducing SDS-PAGE.
Endotoxin	Please contact us for more information.
Storage	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80
	°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of
	reconstituted samples are stable at $< -20^{\circ}$ C for 3 months.
Shipping	This product is provided as lyophilized powder which is shipped with ice packs.
Formulation	Lyophilized from sterile PBS, pH 7.4
	Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants
	before lyophilization.
	Please refer to the specific buffer information in the printed manual.
Reconstitution	Please refer to the printed manual for detailed information.





> 90 % as determined by reducing SDS-PAGE.

Background

Elabscience®

Synaptosomal-associated protein 25, also known as Super protein, Synaptosomal-associated 25 kDa protein, SNAP25 and SNAP, is a cytoplasm and cell membrane protein which belongs to theSNAP-25 family. SNAP25 / SUP contains 2t-SNARE coiled-coil homology domains. SNAP25 / SUP is a membrane bound protein anchored to the cytosolic face of membranes via palmitoyl side chains in the middle of the molecule. SNAP25 / SUP protein is a component of the SNARE complex, which is proposed to account for the specificity of membrane fusion and to directly execute fusion by forming a tight complex that brings the synaptic vesicle and plasma membranes together. SNAP25 / SUP is a Q-SNARE protein contributing two α-helices in the formation of the exocytotic fusion complex in neurons where it assembles with syntaxin-1 and synaptobrevin. SNAP25 / SUP is involved in the molecular regulation of neurotransmitter release. It may play an important role in the synaptic function of specific neuronal systems. SNAP25 / SUP associates with proteins involved in vesicle docking and membrane fusion. SNAP25 / SUP regulates plasma membrane recycling through its interaction with CENPF. SNAP25 / SUP inhibits P/Q- and L-type voltage-gated calcium channels located presynaptically and interacts with the synaptotagmin C2B domain in Ca2+-independent fashion. In glutamatergic synapses SNAP25 / SUP decreases the Ca2+ responsiveness, while it is naturally absent in GABAergic synapses.