Recombinant Human HIP2/UBE2K Protein (His Tag, SUMO Tag)

Catalog Number: PKSH033186



Note: Centrifuge before opening to ensure complete recovery of vial contents.

| - | | | | | |
|-----|----|-----|-----|--------|---|
| - 1 | 00 | cri | m | 17 | ٦m |
| J | | | .,, | , T. U | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, |

 Species
 Human

 Mol_Mass
 34.5 kDa

 Accession
 P61086

Bio-activity Not validated for activity

Properties

Purity > 90 % as determined by reducing SDS-PAGE.

Endotoxin $< 1.0 \text{ EU per } \mu\text{g of the protein as determined by the LAL method.}$

Storage Storage Store at < -20°C, stable for 6 months. Please minimize freeze-thaw cycles.

Shipping This product is provided as liquid. It is shipped at frozen temperature with blue ice/gel


packs. Upon receipt, store it immediately at < - 20°C.

Formulation Supplied as a 0.2 μm filtered solution of 20mM PB, 8% Sucrose, 100mM NaCl, 0.05%

Tween 80, pH 7.5.

Reconstitution Not Applicable

Data



> 90 % as determined by reducing SDS-PAGE.

Background

Ubiquitin-Conjugating Enzyme E2 K (UBE2K) belongs to the E2 Ubiquitin-Conjugating Enzyme family. UBE2K is highly expressed in the brain; with highest levels found in cortex and striatum; and at lower levels in cerebellum and brainstem. UBE2K may mediate foam cell formation by the suppression of apoptosis of lipid-bearing macrophages through ubiquitination and subsequence degradation of p53/TP53. UBE2K is associated with the selective degradation of short-lived and abnormal proteins; such as the endoplasmic reticulum-associated degradation (ERAD) of misfolded lumenal proteins. In addition; UBE2K is involved in Alzheimer's disease; Huntington's disease and antigen processing through its interaction with huntingtin; and MHC-heavy chain proteins.

For Research Use Only