Elabscience®

GMDS Polyclonal Antibody

catalog number: E-AB-91035

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Ŭ		
Description		
Reactivity	Human	
Immunogen	A synthetic peptide of human GMDS	
Host	Rabbit	
Isotype	IgG	
Purification	Affinity purification	
Buffer	Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.	
Applications	Recommended Dilution	
WB	1:500-1:2000	
Data		
	Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba- Tokba-	
Polyclonal Antibody at 1:1000 dilution.		
Observed-MV:42 kDa		
Calculated-MV:39 kDa/41 kDa		
Droporation & Storago		

Preparation & Storage	
Storage	Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.
Shipping	The product is shipped with ice pack,upon receipt, store it immediately at the
	temperature recommended.

Background

GDP-mannose 4,6-dehydratase (GMD; EC 4.2.1.47) catalyzes the conversion of GDP-mannose to GDP-4-keto-6deoxymannose, the first step in the synthesis of GDP-fucose from GDP-mannose, using NADP+ as a cofactor. The second and third steps of the pathway are catalyzed by a single enzyme, GDP-keto-6-deoxymannose 3,5-epimerase, 4reductase, designated FX in humans (MIM 137020).