

Recombinant Human LRP10 Protein (His Tag)

Catalog Number: PKSH030686

Note: Centrifuge before opening to ensure complete recovery of vial contents.


Description

| | |
|----------------------|--|
| Species | Human |
| Source | HEK293 Cells-derived Human LRP10 protein Met 1-Lys 440, with an C-terminal His |
| Calculated MW | 47.5 kDa |
| Observed MW | 60 kDa |
| Accession | Q7Z4F1-1 |
| Bio-activity | Not validated for activity |

Properties

| | |
|-----------------------|---|
| Purity | > 97 % as determined by reducing SDS-PAGE. |
| Endotoxin | < 1.0 EU per µg of the protein as determined by the LAL method. |
| Storage | Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months. |
| Shipping | This product is provided as lyophilized powder which is shipped with ice packs. |
| Formulation | Lyophilized from sterile PBS, pH 7.4 Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants before lyophilization. Please refer to the specific buffer information in the printed manual. |
| Reconstitution | Please refer to the printed manual for detailed information. |

Data



> 97 % as determined by reducing SDS-PAGE.

Background

Various members of the low-density lipoprotein receptor (LDLR) family have been reported to play a role in APP trafficking and processing and are important risk factors in AD. LDLR-related protein 1 (LRP1) shuttles between the trans-Golgi Network (TGN); plasma membrane (PM); and endosomes. LRP1 is a functional APP receptor involved in APP trafficking and processing. LRP1 interacts directly with the ectodomain of APP and colocalizes with APP at the TGN. LRP1 is a novel APP sorting receptor that protects APP from amyloidogenic processing; suggesting that a decrease in LRP1 function may contribute to the pathogenesis of Alzheimer's disease.

For Research Use Only