# Purified Anti-Human CD3 Antibody[UCHT1]

catalog number: E-AB-F1230A



Note: Centrifuge before opening to ensure complete recovery of vial contents.

## Description

**Reactivity** Human

Immunogen Recombinant Human CD3 protein

**Host** Mouse

**Isotype** Mouse IgGl, κ

Clone UCHT1

**Purification** >98%, Protein A/G purified


**Conjugation** Unconjugated

buffer PBS, pH 7.2. Contains 0.05% proclin 300.

## **Applications** Recommended Dilution

FCM  $2 \mu g/mL(1\times10^5-5\times10^5 \text{ cells})$ 

#### Data



Human peripheral blood lymphocytes were stained with 0.2  $\,$  µg AF/LE Purified Anti-Human CD3 Antibody[UCHT1] (Right) and 0.2 µg Mouse IgG1,  $\kappa$  Isotype Control(Left), followed by PE-conjugated Goat Anti-Mouse IgG Secondary

Antibody.

## Preparation & Storage

Storage Storage Store at 4°C valid for 12 months or -20°C valid for long term storage, avoid freeze /

thaw cycles.

Shipping Ice bag

#### Background

CD3 $\epsilon$  is a 20 kD chain of the CD3/T cell receptor (TCR) complex, which is composed of two CD3 $\epsilon$ , one CD3 $\gamma$ , one CD3 $\delta$ , one CD3 $\zeta$  (CD247), and a T cell receptor ( $\alpha/\beta$  or  $\gamma/\delta$ ) heterodimer. It is found on all mature T lymphocytes, NK T cells, and some thymocytes. CD3, also known as T3, is a member of the immunoglobulin superfamily that plays a role in antigen recognition, signal transduction, and T cell activation.

### For Research Use Only