Elabscience®

Recombinant Mouse VEGF165 protein(His Tag)

Catalog Number: PKSM041518

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description	
Species Source Calculated MW Observed MW Accession Bio-activity	Mouse E.coli-derived Mouse VEGF165 protein Ala 205-Arg 368, with an C-terminal His 20.2 kDa 18 kDa NP_033531.3 Measure by its ability to induce proliferation in HUVEC cells. The ED ₅₀ for this effect is <3 ng/mL.
Properties	
Purity	> 98 % as determined by reducing SDS-PAGE.
Endotoxin	< 0.1 EU per µg of the protein as determined by the LAL method.
Storage	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80 °C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.
Shipping	This product is provided as lyophilized powder which is shipped with ice packs.
Formulation	Lyophilized from sterile PBS,pH 8.0. Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants before lyophilization. Please refer to the specific buffer information in the printed manual.
Reconstitution	Please refer to the printed manual for detailed information.
Data	
	kDa 75- 63- 48- 35- 25- 17- 11-

> 98 % as determined by reducing SDS-PAGE.

Background

Vascular endothelial growth factor (VEGF); also known as vascular permeability factor (VPF) and VEGF-A; is a potent mediator of both angiogenesis and vasculogenesis in the fetus and adult. It is a member of the platelet-derived growth factor (PDGF)/vascular endothelial growth factor (VEGF) family and often exists as a disulfide-linked homodimer. VEGF-A protein is a glycosylated mitogen that specifically acts on endothelial cells and has various effects; including mediating increased vascular permeability; inducing angiogenesis; vasculogenesis and endothelial cell growth; promoting cell migration; inhibiting apoptosis and tumor growth. VEGF-A protein is also a vasodilator that increases microvascular permeability; thus it was originally referred to as vascular permeability factor.

For Research Use Only