



A Reliable Research Partner in Life Science and Medicine

CD89 Polyclonal Antibody

catalog number: E-AB-15027

Note: Centrifuge before opening to ensure complete recovery of vial contents.

D	•	4.0
I IAC	CPH	otion
DCS.		

Reactivity Human

Immunogen Recombinant protein of human FCAR

Host Rabbit Isotype IgG

PurificationAffinity purificationConjugationUnconjugated

Buffer Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.

Applications Recommended Dilution

WB 1:500-1:2000

Data



Western Blot analysis of 293T cell and Mouse brain tissue using CD89 Polyclonal Antibody at dilution of 1:550

Calculated-MW:32 kDa

Preparation & Storage

Storage Storage Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.

Shipping The product is shipped with ice pack, upon receipt, store it immediately at the

temperature recommended.

Background

This gene is a member of the immunoglobulin gene superfamily and encodes a receptor for the Fc region of IgA. The receptor is a transmembrane glycoprotein present on the surface of myeloid lineage cells such as neutrophils, monocytes, macrophages, and eosinophils, where it mediates immunologic responses to pathogens. It interacts with IgA-opsonized targets and triggers several immunologic defense processes, including phagocytosis, antibody-dependent cell-mediated cytotoxicity, and stimulation of the release of inflammatory mediators. Multiple alternatively spliced transcript variants encoding different isoforms have been described for this gene.

For Research Use Only