Recombinant Mouse Interleukin-10/IL-10 Protein

Catalog Number: PKSM041066




Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description	
Species	Mouse
Mol_Mass	19.7 kDa
Accession	P18893
Bio-activity	Measure by its ability to induce MC/9- $$ 2 cells proliferation. The ED $_{50}$ for this effect is
	<1 ng/mL. The specific activity of recombinant mouse IL-10 is \geq 1 x 10 ⁶ IU/mg.
Properties	

	<1 fig/mL. The specific activity of recombinant mouse IL-10 is > 1 x 10° 10/mg.
Properties	
Purity	> 98 % as determined by reducing SDS-PAGE.
Endotoxin	$< 0.1 \text{ EU}$ per μg of the protein as determined by the LAL method.
Storage	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80
	°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.
Shipping	This product is provided as lyophilized powder which is shipped with ice packs.
Formulation	Lyophilized from sterile PBS, pH 7.4.
	Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants
	before lyophilization.
	Please refer to the specific buffer information in the printed manual.
Reconstitution	Please refer to the printed manual for detailed information.





> 98 % as determined by reducing SDS-PAGE.

Background

Mouse II10 is the prototypic member of the IL-10 cytokine family, including IL-10, IL-19, IL-20, IL-22 (IL-TIF), IL-24 and IL-26. Many viruses encode viral members of the IL-10 family, such as Epstein-Barr virus (EBV) and human cytomegalovirus (HCMV). Its main function is inhibiting the synthesis of a number of cytokines, including IFN-gamma, IL-2, IL-3, TNF and GM-CSF produced by activated macrophages and by helper T-cells. Although human and mouse IL-10 are 81% identical at the nucleotide and amino acid level, mouse IL-10 is species-specific and does not act on human cells. Interestingly, Human IL-10 is active on mouse cells.

For Research Use Only