## **BTG4** Polyclonal Antibody

catalog number: E-AB-52136



Note: Centrifuge before opening to ensure complete recovery of vial contents.

| Description   |  |
|---|--|
| Reactivity  | Human  |
| Immunogen   | Fusion protein of human BTG4   |
| Host  | Rabbit   |
| Isotype   | IgG  |
| Purification  | Antigen affinity purification  |
| Conjugation   | Unconjugated   |
| buffer  | Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol. |
| Applications  | Recommended Dilution   |
| IHC   | 1:40-1:250   |
| Data  |  |
| Immunohistochemistry of paraffin-embedded Human liver       |  |
| cancer tissue using BTG4 Polyclonal Antibody at dilution of |  |
| 1:65(×200)  |  |
| Preparation & Storage                                       |  |
| Storage   | Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.                    |
| Shipping  | The product is shipped with ice pack, upon receipt, store it immediately at the    |
|   | temperature recommended.   |
| Deskarsund  |  |

Background

The protein encoded by this gene is a member of the BTG/Tob family. This family has structurally related proteins that appear to have antiproliferative properties. This encoded protein can induce GI arrest in the cell cycle.

## For Research Use Only